

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European
Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

1 Product and Company Identification

- **Product identifier**
- **Trade name:** Hydrogen Peroxide 20% - 40%
- **CAS Number:** 7722-84-1
- **Application of the substance / the preparation**
Hydrogen Peroxide, Aqueous Solution (with 20-40% Hydrogen Peroxide)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
NuGeneration Technologies, LLC (dba NuGenTec)
1155 Park Avenue, Emeryville, CA 94608
info@nugentec.com
888-996-8436 or 707-820-4080 for product information
- **Emergency telephone number:** Contact Infotrac: 1-352-326-2510

www.nugentec.com

2 Hazards identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS03



GHS05



GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
hydrogen peroxide solution

(Contd. on page 2)

USA

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 1)

· **Hazard statements**

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P221 Take any precaution to avoid mixing with combustibles.
- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P305+P351+P338 **IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**
- P310 Immediately call a **POISON CENTER** or doctor/physician.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 1

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 1

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

7732-18-5	water, distilled, conductivity or of similar purity	10-60%
-----------	---	--------

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives




Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 2)

· Dangerous components:

7722-84-1	hydrogen peroxide solution	15-50%
 Ox. Liq. 1, H271;  Skin Corr. 1A, H314;  Acute Tox. 4, H302; Acute Tox. 4, H332		

4 First aid measures

- **Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

USA

(Contd. on page 4)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7722-84-1 hydrogen peroxide solution

PEL	1.4 mg/m ³ , 1 ppm
REL	1.4 mg/m ³ , 1 ppm
TLV	1.4 mg/m ³ , 1 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European
Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odour threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 3.7

· **Change in condition**

Melting point/Melting range:	~32 C
Boiling point/Boiling range:	103 °C (217 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density at 20 °C (68 °F):** 1.15 g/cm³ (9.597 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not determined.

(Contd. on page 6)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 5)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	60.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7722-84-1	hydrogen peroxide solution	3
-----------	----------------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

USA

(Contd. on page 7)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	None
· DOT, ADR, IMDG, IATA	UN2014
· UN proper shipping name	None
· DOT, IMDG, IATA	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· ADR	2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· Transport hazard class(es)	
· DOT	
· Class	5.1 Oxidising substances.

(Contd. on page 8)

Safety Data Sheet (SDS)


Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 7)

· Label	5.1, 8
· ADR	
· Class	5.1 Oxidizing substances
· Label	5.1, 8
· IMDG, IATA	
	
· Class	5.1 Oxidising substances.
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Oxidizing substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Peroxides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Remarks:	Hydrogen Peroxide, Aqueous Solution with more than 20% & <40%
· UN "Model Regulation":	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1,8, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara None Listed

· Section 355 (extremely hazardous substances):

7722-84-1 | hydrogen peroxide solution

(Contd. on page 9)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European
Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 8)

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

7722-84-1 | hydrogen peroxide solution

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labelled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03 GHS05 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

hydrogen peroxide solution

· **Hazard statements**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 10)

Safety Data Sheet (SDS)

Prepared to GHS Rev04(2011): U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European
Directives

Printing date 01/10/2013

Reviewed on 01/10/2013

Trade name: Hydrogen Peroxide 20% - 40%

(Contd. of page 9)

- P102 *Keep out of reach of children.*
- P103 *Read label before use.*
- P221 *Take any precaution to avoid mixing with combustibles.*
- P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
- P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P310 *Immediately call a POISON CENTER or doctor/physician.*
- P405 *Store locked up.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)